

FIG.1





FIG.2


A scatter plot showing the relationship between Log molecular weight (Y-axis) and Fraction number (X-axis) during the purification of alcohol dehydrogenase. The Y-axis ranges from 4.0 to 6.0, and the X-axis ranges from 22 to 36. A linear regression line is drawn through the data points, with the equation  $y = -0.141x + 8.985$  and a correlation coefficient  $r = 0.995$ . The data points are labeled with protein names and their molecular weights:

Fraction number	Protein	Molecular weight (kD)
24	Ferritin	440
27	Alcohol dehydrogenase	150
28	Albumin	67
30	Carbonic anhydrase	29
32	Cytochrome C	12.4


**FIG.3**



**FIG.4**




[illegible]

**FIG.5**




**FIG.6**

$\{T_{\alpha}^{(1)}\}$   $\{T_{\beta}^{(1)}\}$   $\{T_{\gamma}^{(1)}\}$   $\{T_{\delta}^{(1)}\}$   $\{T_{\epsilon}^{(1)}\}$   $\{T_{\zeta}^{(1)}\}$   $\{T_{\eta}^{(1)}\}$   $\{T_{\theta}^{(1)}\}$   $\{T_{\iota}^{(1)}\}$   $\{T_{\kappa}^{(1)}\}$   $\{T_{\lambda}^{(1)}\}$   $\{T_{\mu}^{(1)}\}$   $\{T_{\nu}^{(1)}\}$   $\{T_{\xi}^{(1)}\}$   $\{T_{\omicron}^{(1)}\}$   $\{T_{\pi}^{(1)}\}$   $\{T_{\rho}^{(1)}\}$   $\{T_{\sigma}^{(1)}\}$   $\{T_{\tau}^{(1)}\}$   $\{T_{\upsilon}^{(1)}\}$   $\{T_{\phi}^{(1)}\}$   $\{T_{\chi}^{(1)}\}$   $\{T_{\psi}^{(1)}\}$   $\{T_{\omega}^{(1)}\}$






**FIG.7**

TOCT-1629200F




**FIG.8**




**FIG.9**





**FIG.10**



**FIG.11**




FIG.12